



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

[interface.com](https://www.interface.com)

United States Headquarters
1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters
233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext. 52128

Latin American Headquarters
Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM# IFS00924 01/2023



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

Northern Grain | LVT

Interface®

Simplicity, elevated. Spaces, illuminated.

Sometimes, the simplest words make the strongest statement. That is also true for design. Part of our 4.5 mm Sound Choice™ LVT offering, Northern Grain is bright, light and effortlessly beautiful — with a simplicity that enriches any space.

Northern Grain celebrates pale shades and clean neutrals. Invite and enhance natural light with airy off-white, beige and cream woods or set a quieter foundation with deeper soft browns and grays. The 12 colorways are divided across three subtle yet distinct woodgrain patterns. Honoring the gentle details of beech, ash and pine, each version of Northern Grain is crafted with fine lines, delicate knots and the soft ripples of cathedral peaks. With its understated and confident style, Northern Grain brings harmony to interior environments.

Interface LVT contains 39% recycled content and like all Interface flooring, Northern Grain is part of our Carbon Neutral Floors™ program. When you specify Interface flooring, you're on the path to a more sustainable space. You're choosing to reduce the carbon footprint of your space and help improve the health of the planet.









interface.com

Palette photography to show grain detail. Not meant for install on walls.
PRODUCT NORTHERN GRAIN **COLOR** A02606 ANTIQUE WASH



LVT PRODUCT NORTHERN GRAIN **COLOR** A02606 ANTIQUE WASH **INSTALLED** ASHLAR
CARPET PRODUCT THIRD SPACE™ 304 **COLOR** 107890 BLACK **INSTALLED** MONOLITHIC





interface.com

Palette photography to show grain detail. Not meant for install on walls.
PRODUCT NORTHERN GRAIN **COLOR** A02610 NATURAL SATIN



LVT PRODUCT NORTHERN GRAIN **COLOR** A02610 NATURAL SATIN **INSTALLED** ASHLAR
CARPET PRODUCT FLOR® KNIT WIT™ **COLOR** CHALK/SILVER **INSTALLED** MONOLITHIC



Specifications

Product Number	A026
Product Construction	High Performance Luxury Vinyl Tile
Class / ASTM F1700	Class III Printed Vinyl Tile
Wear Layer Thickness	22 mil
Total Thickness	4.5mm
Backing Class	Commercial Grade
Finish	Ceramor™ Coating
Nominal Dimensions	25cm x 1m (9.845 in x 39.38 in)
Total Recycled Content (Pre Consumer)	39%
Indoor Air Quality	GREENGUARD Gold FloorScore® Certified CDPH 01350 Compliant Carbon Neutral Floors™
Full Life Cycle Carbon Emissions	
Environmental Certifications	NSF/ANSI 332 Silver
LEED v4	Contributes to multiple IEQ and MR credits

[View the full product specification on interface.com](#)

Installation Methods



ASHLAR



HERRINGBONE



[BROWSE IMAGES](#)
[ORDER SAMPLES](#)

Northern Grain™ Color Range



A02601 GLAZED OAK



A02602 CHIFFON OAK



A02603 BARE OAK



A02604 DRIED OAK



A02605 NORDIC WASH



A02606 ANTIQUE WASH



A02607 DARK WASH



A02608 GREY WASH



A02609 AGED SATIN



A02610 NATURAL SATIN



A02611 OAK SATIN



A02612 DARK SATIN

Why Our Modular Resilient Sound Choice™ 4.5 mm LVT?



Integrated System

Save time and look good doing it. Our Sound Choice LVT integrates with our full product portfolio, allowing you to streamline specification and installation of your floorplate. Add our modular carpet for an inset rug or an adjacent field – no transition strip required.



Easy Maintenance

Create a unique look that lasts. Interface Sound Choice LVT extends the life of your floor. From simple maintenance like damp mopping to selectively replacing damaged tiles, your flooring investment will stand the test of time - beautifully and effortlessly.



ReEntry™


Keep flooring out of the landfill. Interface Sound Choice LVT is produced with a controlled material stream, so it is recyclable along with Interface carpet tile through our ReEntry™ program. ReEntry is the only 3rd Party certified recycling system among North American flooring manufacturers.



Noise Reduction

Silence distractions. Sound Choice is a specially formulated backing for superior noise reduction, offering you best-in-class impact sound reduction and floor to floor sound transmission.

High Performance from Top to Bottom



- 1. Ceramor™ Coating.** Minimizes everyday scratching and scuffing.
- 2. Wear Layer.** High quality 22 mil layer enabling 15 years of resilience and performance.
- 3. Print Film.** Provides outstanding visuals of natural materials and Interface innovative designs.
- 4. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 5. Fiberglass.** Adds dimensional stability and controlled flexibility.
- 6. Core Sheet.** Creates a thickness for a stronger core and reduces telegraphing from beneath.
- 7. Sound Choice Backing.** Provides comfort and superior acoustic performance.

Interface Sound Choice LVT and carpet tile allow you to seamlessly move from hard to soft surfaces. No transition strip needed.



Help Lower Your Carbon Footprint

Like all the flooring products we sell, Interface LVT is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Health Product Declaration (HPD)

A transparency tool for evaluating if a product includes materials of concern and whether it supports Green Chemistry.



NSF/ANSI 332 Silver

This standard evaluates the environmental impact of resilient floor covering for its entire life cycle.



Environmental Product Declaration (EPD)

A third-party verified statement of product ingredients and environmental impacts over the entire life cycle of a product.



GREENGUARD Gold & FloorScore®

Meeting the highest standards for indoor air quality and assuring very low emissions of VOCs, Interface LVT is GREENGUARD Gold and FloorScore® Certified and CDPH 01350 compliant.

📍 Samples

Register and order samples at interface.com. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500	Canada 1.866.398.3192
Brazil +5511.2196.0900	Latin America +52.55.2791.6812

interface.com

Do more on interface.com

- Browse products and order samples
- Save and share favorites
- See images of products in a variety of room scenes
- Browse floor designs, change colors, upload your own image, download and share
- Get full specifications, sustainability certifications and more
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.